



## Электрические печи SAWO Dragonfire Технические характеристики (eng)

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72  
Астана +7(7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93




**FIBERJUNGLE**

# Fiberjungle

Heater with cool to touch fiber coating



Minimum Safety Distances (mm)



	A	B
	MIN (mm)	
DRF3-45NS	100	1900
DRF3-60NS	100	1900
DRF3-75NS	100	1900
DRF3-90NS	100	1900



## Technical Data


HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		MIN (m <sup>2</sup> )	MAX	WIDTH	DEPTH (mm)	HEIGHT		
DRF3-45NS	4.5	3	6	365	365	930	60	separate
DRF3-60NS	6.0	5	9	365	365	930	60	separate
DRF3-75NS	7.5	7	13	365	365	930	60	separate
DRF3-90NS	9.0	8	14	365	365	930	60	separate




**SCANDIFIRE**

# Scandifire

Heater for small and medium size sauna rooms with cool to touch fiber coating.



## Minimum Safety Distances (mm)



	A	B
SCA-45NB-DRF / SCA-45NB-DRF-BL	60	50
SCA-60NB-DRF / SCA-60NB-DRF-BL	60	50
SCA-80NB-DRF / SCA-80NB-DRF-BL	100	100
SCA-90NB-DRF / SCA-90NB-DRF-BL	100	100
SCA-45NS-DRF / SCA-45NS-DRF-BL	60	50
SCA-60NS-DRF / SCA-60NS-DRF-BL	60	50
SCA-80NS-DRF / SCA-80NS-DRF-BL	60	50
SCA-90NS-DRF / SCA-90NS-DRF-BL	60	50



## Technical Data

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		MIN (m <sup>2</sup> )	MAX	WIDTH	DEPTH (mm)	HEIGHT		
SCA-45NB-DRF / SCA-45NB-DRF-BL	4.5	3	6	515	290	450	18-22	built-in
SCA-60NB-DRF / SCA-60NB-DRF-BL	6.0	5	8	515	290	450	18-22	built-in
SCA-80NB-DRF / SCA-80NB-DRF-BL	8.0	7	13	515	290	520	18-22	built-in
SCA-90NB-DRF / SCA-90NB-DRF-BL	9.0	8	14	515	290	520	18-22	built-in
SCA-45NS-DRF / SCA-45NS-DRF-BL	4.5	3	6	410	290	450	18-22	separate
SCA-60NS-DRF / SCA-60NS-DRF-BL	6.0	5	8	410	290	450	18-22	separate
SCA-80NS-DRF / SCA-80NS-DRF-BL	8.0	7	13	410	290	520	18-22	separate
SCA-90NS-DRF / SCA-90NS-DRF-BL	9.0	8	14	410	290	520	18-22	separate



MINIDRAGON




# Minidragon

Heater for small size sauna rooms with cool to touch fiber coating.



## Minimum Safety Distances (mm)



	A	B	C
MN-23NB-DRF / MN-23NB-DRF-BL	50	20	40
MN-30NB-DRF / MN-30NB-DRF-BL	60	20	50
MN-36NB-DRF / MN-36NB-DRF-BL	90	20	80
MN-23NS-DRF / MN-23NS-DRF-BL	50	20	40
MN-30NS-DRF / MN-30NS-DRF-BL	60	20	50
MN-36NS-DRF / MN-36NS-DRF-BL	60	20	50



## Technical Data

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT		
		(m <sup>2</sup> )			(mm)			
MN-23NB-DRF / MN-23NB-DRF-BL	2.3	1.3	2.5	435	210	450	8 - 11	built-in
MN-30NB-DRF / MN-30NB-DRF-BL	3.0	2	4	435	210	450	8 - 11	built-in
MN-36NB-DRF / MN-36NB-DRF-BL	3.6	3	6	435	210	450	8 - 11	built-in
MN-23NS-DRF / MN-23NS-DRF-BL	2.3	1.3	2.5	330	210	450	8 - 11	separate
MN-30NS-DRF / MN-30NS-DRF-BL	3.0	2	4	330	210	450	8 - 11	separate
MN-36NS-DRF / MN-36NS-DRF-BL	3.6	3	6	330	210	450	8 - 11	separate



**HEATER KING  
CORNER**



# Heaterking-Corner

Massive heater with signature “Junglefire” pattern.



## Minimum Safety Distances (mm)

	A	B
DRFT3-35NS-CNR	100	1900
DRFT3-45NS-CNR	100	1900
DRFT3-60NS-CNR	100	1900
DRFT6-80NS-CNR	100	1900
DRFT6-90NS-CNR	100	1900
DRFT6-105NS-CNR	100	1900
DRFT6-120NS-CNR	100	2100





## Technical Data

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES		CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT	WITH SPACER	NO SPACER	
		(m <sup>2</sup> )			(mm)		(kg)		
DRFT3-35NS-CNR	3.5	3	6	300	300	1410	45	70	separate
DRFT3-45NS-CNR	4.5	3	6	300	300	1410	45	70	separate
DRFT3-60NS-CNR	6.0	5	8	300	300	1410	45	70	separate
DRFT6-80NS-CNR	8.0	7	14	410	410	1430	80	160	separate
DRFT6-90NS-CNR	9.0	8	15	410	410	1430	80	160	separate
DRFT6-105NS-CNR	10.5	9	16	410	410	1430	80	160	separate
DRFT6-120NS-CNR	12.0	11	18	410	410	1430	80	160	separate




HEATER KING  
WALL

# Heaterking-Wall

Massive heater with signature “Junglefire” pattern.




## Minimum Safety Distances (mm)



	A	B		A	B
DRFT3-35NS-WL	100	1900	DRFT9-180NS-WL	100	2100
DRFT3-45NS-WL	100	1900	DRFT12-150NS-WL	100	2300
DRFT3-60NS-WL	100	1900	DRFT12-180NS-WL	100	2300
DRFT6-80NS-WL	100	1900	DRFT12-210NS-WL	100	2300
DRFT6-90NS-WL	100	1900	DRFT12-240NS-WL	100	2300
DRFT6-105NS-WL	100	1900			
DRFT6-120NS-WL	100	2100			
DRFT9-105NS-WL	100	2100			
DRFT9-120NS-WL	100	2100			
DRFT9-150NS-WL	100	2100			





## Technical Data

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES		CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT	WITH SPACER	NO SPACER	
		(m <sup>2</sup> )			(mm)		(kg)		
DRFT3-35NS-WL	3.5	3	6	395	220	1440	60	80	separate
DRFT3-45NS-WL	4.5	3	6	395	220	1440	60	80	separate
DRFT3-60NS-WL	6.0	5	8	395	220	1440	60	80	separate
DRFT6-80NS-WL	8.0	7	14	550	300	1475	105	160	separate
DRFT6-90NS-WL	9.0	8	15	550	300	1475	105	160	separate
DRFT6-105NS-WL	10.5	9	16	550	300	1475	105	160	separate
DRFT6-120NS-WL	12.0	11	18	550	300	1475	105	160	separate
DRFT9-105NS-WL	10.5	10	16	650	350	1510	115	180	separate
DRFT9-120NS-WL	12.0	11	20	650	350	1510	115	180	separate
DRFT9-150NS-WL	15.0	14	25	650	350	1510	115	180	separate
DRFT9-180NS-WL	18.0	18	28	650	350	1510	115	180	separate
DRFT12-150NS-WL	15.0	15	26	790	420	1545	165	250	separate
DRFT12-180NS-WL	18.0	18	30	790	420	1545	165	250	separate
DRFT12-210NS-WL	21.0	22	35	790	420	1545	165	250	separate
DRFT12-240NS-WL	24.0	24	40	790	420	1545	165	250	separate





**HEATERKING  
ROUND**



# Heaterking-Round


Massive heater with signature “Junglefire” pattern.



## Minimum Safety Distances (mm)

	A	B		A	B
DRFT2-30NS	150	1900	DRFT6-120NS/ DRFT6-120Ni	200	2100
DRFT3-35NS	100	1900	DRFT9-105NS/ DRFT9-105Ni	150	2100
DRFT3-45NS	100	1900	DRFT9-120NS/ DRFT9-120Ni	150	2100
DRFT3-60NS	150	1900	DRFT9-150NS/ DRFT9-150Ni	200	2100
DRFT4-60NS	100	1900	DRFT9-180NS	200	2100
DRFT4-80NS	200	1900			
DRFT5-90NS	200	1900	DRFT12-150NS/ DRFT12-150Ni	200	2300
DRFT6-80NS/ DRFT6-80Ni	100	1900	DRFT12-180NS/ DRFT12-180Ni	200	2300
DRFT6-90NS/ DRFT6-90Ni	100	1900	DRFT12-210NS/ DRFT12-210Ni	200	2300
DRFT6-105NS/ DRFT6-105Ni	150	1900	DRFT12-240NS/ DRFT12-240Ni	200	2300





## Technical Data

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES		CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT	WITH SPACER (kg)	NO SPACER	
		(m <sup>2</sup> )			(mm)				
DRFT2-30NS	3.0	2	4	250	250	1325	60	70	separate
DRFT3-35NS	3.5	3	6	250	250	1325	60	70	separate
DRFT3-45NS	4.5	3	6	250	250	1325	60	70	separate
DRFT3-60NS	6.0	5	8	250	250	1325	60	70	separate
DRFT4-60NS	6.0	5	9	295	295	1325	90	105	separate
DRFT5-80NS	8.0	7	13	295	295	1325	90	105	separate
DRFT5-90NS	9.0	8	14	295	295	1325	90	105	separate
DRFT6-80NS/ DRFT6-80Ni	8.0	7	14	355	355	1325	100	160	separate
DRFT6-90NS/ DRFT6-90Ni	9.0	8	15	355	355	1325	100	160	separate
DRFT6-105NS/ DRFT6-105Ni	10.5	9	16	355	355	1325	100	160	separate
DRFT6-120NS/ DRFT6-120Ni	12.0	11	18	355	355	1325	100	160	separate
DRFT9-105NS/ DRFT9-105Ni	10.5	10	16	425	425	1325	165	230	separate
DRFT9-120NS/ DRFT9-120Ni	12.0	11	20	425	425	1325	165	230	separate
DRFT9-150NS/ DRFT9-150Ni	15.0	14	25	425	425	1325	165	230	separate
DRFT9-180NS	18.0	18	28	425	425	1325	165	230	separate
DRFT12-150NS/ DRFT12-150Ni	15.0	15	26	525	525	1325	220	360	separate
DRFT12-180NS/ DRFT12-180Ni	18.0	18	30	525	525	1325	220	360	separate
DRFT12-210NS/ DRFT12-210Ni	21.0	22	35	525	525	1325	220	360	separate
DRFT12-240NS/ DRFT12-240Ni	24.0	24	40	525	525	1325	220	360	separate



По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Сургут (3462)77-98-35
Астана +7(7172)727-132	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Казань (843)206-01-48	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)74-02-29
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Нижний Новгород (831)429-08-12	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Кемерово (3842)65-04-62	Новокузнецк (3843)20-46-81	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Волгоград (844)278-03-48	Краснодар (861)203-40-90	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Вологда (8172)26-41-59	Красноярск (391)204-63-61	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Курск (4712)77-13-04	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Ярославль (4852)69-52-93